

Wiring diagram ekey dLine/FUHR multitronic/autotronic with FUHR tappet contacts and switching power supply





Connection to the control unit



Connection to the electrical installation

When connecting the switching power supply, refer to the FUHR connection instructions and safety information.



ID428/826/0/834: Version 1, 2024-11-21



A DANGER

Risk of electrocution: All ekey devices are to be operated with Safety Extra Low Voltage (SELV). Only use power supplies rated protection class 2 with safety approval according to EN 62368-1.

Failure to do so will create a risk of fatal electrocution.

Only certified electricians are authorized to carry out electrical installation work on mains systems.

A ATTENTION

Property damage in the event of incorrect mounting and wiring: The system devices are operated using electricity.

They could be destroyed if they are mounted and wired incorrectly. Mount and wire the system devices correctly before connecting the power.

■ NOTICE

This wiring diagram is not subject to updating. We reserve the right to make technical modifications and change the product's appearance; any liability for errors and misprints is excluded.

- ekey dLine fingerprint 201001 (450007)
- **2** ekey dLine cable FP 20130x or 20132x
- **3** ekey dLine controller 201201 (450008)
- **4** ekey dLine cable MT 201342
- **5a** FUHR tappet contacts
- **5b** FUHR switching power supply